CADD & Mapping ORD/PW Implementation

TABLE OF CONTENTS

ProjectWise: The What and the Why	2
District ProjectWise Administrators	3
Status Update	4
District Questions and Answers	5
Folder Structure	17

PROJECTWISE: THE WHAT AND THE WHY

ProjectWise (PW) is a project management tool, that allows the Department to store projects in a central location/ cloud environment. This provides project collaboration opportunities with districts, central office, and consultants (should they choose to also use PW). PW allows team members to share and distribute engineering project content, provide and enforce CADD standards in a managed workspace, provide audit trails, provide data security and manage user access, fixing of reference files, and to have archived project data available for research and retrieval. Workflows are also being put in place to streamline project delivery to Estimating and Construction.

On January 1, 2020 PW will be used on all typical projects that are designed in OpenRoads Designer. We realize there are other systems (such as EnvironNet) that will continue to need to be utilized, PW implementation is not intended to replace these external applications and systems. Opportunities to integrate some of these systems will be re-evaluated in the future but is not in scope at this time. The first step of implementation is to replace the idrive with ProjectWise and leverage features such as reference file fixing, better managed CADD Standards, and centralization of project data.

Upon implementation, Districts will have PW Administrators that will have access to set up projects and manage users. They will also be able to provide on-going training and support to the district staff. Central Office ProjectWise Administrators will oversee the system from an enterprise perspective and will hand-off district related tasks to the district admins.

This implementation is split into two scopes, one is for new projects going forward and the other scope is for implementation of the archive. This means that only new projects, that are designed in ORD will be required to be in PW. We will capture all other projects in the archive process and move them into PW later.

Also, currently we are not requiring consultants to have or use PW. Consultants can continue to zip projects and deliver them. We will have a script available to automate the unzipping of the files, however, this does require that all standards are followed, file structures enforced, and naming of files does not deviate. If standards are followed, project delivery should be easy. This does not mean consultants cannot use PW. If a District wants to collaborate with a consultant through ProjectWise please contact Central Office PW Support staff and we can ensure you are set up properly.

The next page includes the list of District PW Administrators for your reference.

DISTRICT PROJECTWISE ADMINISTRATORS

		email
Mark Fox	District 1	mark.fox@dot.ohio.gov
Johnathon Lape	District 1	<pre>cody.Lape@dot.ohio.gov</pre>
Mark Mueller	District 1	Mark.Mueller@dot.ohio.gov
Eric Scheckelhoff	District 1	Eric.Scheckelhoff@dot.ohio.gov
Aaron Behrman	District 2	Aaron.Behrman@dot.ohio.gov
Justin McCulloch	District 2	Justin.Mcculloch@dot.ohio.gov
Mark Eppley	District 3	Mark.Eppley@dot.ohio.gov>
Jon Keller	District 3	Jon.Keller@dot.ohio.gov
Dan Lance	District 3	Dan.Lance@dot.ohio.gov
Scott Hawkins	District 3	Scott.Hawkins@dot.ohio.gov
Jim Bruner	District 4	Jim.Bruner@dot.ohio.gov
Bob Baughman	District 4	Robert.Baughman@dot.ohio.gov
Mark Thomas	District 4	Mark.Thomas2@dot.ohio.gov
Thomas Buckler	District 4	Thomas.Buckler@dot.ohio.gov
Brian Harlow	District 5	Brian.Harlow@dot.ohio.gov
Chris Yount	District 5	Chris.Yount@dot.ohio.gov
Doug Morgan	District 5	Doug.Morgan@dot.ohio.gov
Katherine Montoya	District 6	Katherine.Montoya@dot.ohio.gov
Grace Dennis	District 6	Grace.Dennis@dot.ohio.gov
Laura Wright	District 6	Laura.Wright@dot.ohio.gov
Kevin Fiant	District 6	kevin.fiant@dot.ohio.gov
Ryan Hanke	District 7	Ryan.Hanke@dot.ohio.gov
Lawton Gerlinger	District 7	Lawton.Gerlinger@dot.ohio.gov
Belinda Mozel	District 7	Belinda.mozel@dot.ohio.gov
Thanh Vu	District 7	Thanh.Vu@dot.ohio.gov
Garret Freeman	District 8	Garret.Freeman@dot.ohio.gov
Lucas Braun	District 8	Lucas.Braun@dot.ohio.gov
David Beekman	District 9	David.Beekman@dot.ohio.gov
Matt McClellan	District 9	Matthew.McClellan@dot.ohio.gov
John Forshey	District 10	John.Forshey@dot.ohio.gov
Joe Schott	District 10	Joseph.Schott@dot.ohio.gov
Justin Wiseman	District 10	Justin.Wiseman@dot.ohio.gov
Bill Groves	District 11	Bill.Groves@dot.ohio.gov
Jason Beranek	District 11	Jason.Beranek@dot.ohio.gov
John Grmovsek	District 12	John.Grmovsek@dot.ohio.gov
Drake Brauer	District 12	Drake.Brauer@dot.ohio.gov
Erika Kenzig	District 12	Erika.Kenzig@dot.ohio.gov
Frank Konopka	District 12	Frank.Konopka@dot.ohio.gov

Accomplishments to date:

- 1. 3 years ago updated to SS4, which runs on the ORD platform
 - a. Trained internal staff (engineering & survey PowerGeopak/SS4/OpenRoads)
 - b. Survey started using OpenRoads in SS4 right away (PowerGeopak)
- 2. Extensive software testing & configuration
- 3. Developed Transition Plan & Implemented
- 4. Created training guides for survey and design
- 5. Trained survey survey began using in April 2019
- 6. Trained engineers introductory class to ORD
- 7. Migration of CADD Standards and VBAs
- 8. Created managed workspace inside of ProjectWise for CONNECT (deploys all the ORD standards and centralized standards for management)
- 9. Training videos for survey completed, some for engineers completed
- 10. Upgraded add-on software to be compatible with ORD/CONNECt

Still to be completed:

- 1. CAD manual (November 30th)
- 2. Address resource issues (hiring staff/consultants/Bentley)
- 3. On-going monthly calls/interaction with Bentley to discuss software improvements, status tracking, and support updates
- 4. Continue training, manual & video, development
- 5. Project creation app for ProjectWise
- 6. Standard construction drawings and plan insert sheets
- 7. Sample plans
- 8. Building best practices/tips & tricks documentation
- 9. Filing of plan with estimating (workflow/ plan delivery)
- 10. Electronic / digital signatures / seals for plans
- 11. Developing intermediate training classes and guides and on-demand videos
- 12. SUDA
- 13. OpenBridge Designer
- 14. Additional Bentley products / apps review and testing
- 15. Evaluating applications that are included in our standards that are not currently functioning properly in ProjectWise (on-going ProjectWise integration)
- 16. Address coordinate systems and map projections / integrate Low Distortion Projections
- 17. Develop work arounds and best practices for identified issues until permanent fixes are released

DISTRICT QUESTIONS & ANSWERS

OpenRoads Designer (ORD)

Distr	rict Question/Concern	Engineering Response/Comments
D01		
1.	From what I have seen, I believe plans that don't have earth moving or drainage work will be able to transition fairly easily to ORD. How to design and produce profiles and cross sections are more unknown. For projects with utility relocations, the utility owner typically relies on our cross sections to get a feel for the impacts to existing features and where to best place proposed relocations. The workflow for showing drainage items (projecting them to the nearest cross section), retaining walls, and utilities on profiles and cross sections is unclear.	The software does not currently provide the ability to project drainage structures to the cross section. We are working on a solution to this problem. Please note projection on to cross-sections was never a function inherent to Geopak, this was functionality ODOT wrote.
2.	I was hoping to see updated sample plan sheets and a CADD Standards Manual before implementing ORD. The portion of the Bridge Design Manual that discusses plan preparation also needs to be updated. Do we have a timeframe for these items?	We are working on updating sample plan sheets and CADD Manual will be ready November 30 th with some sample plan sheets available. Bridge Design Manual has no changes at this time.
3.	Do I need to create a proposed 3D model to show everything needed for contract plans or can I cut cross sections and profiles and manually edit hard to model areas within the drawing model? The tools to do these manual edits quickly are not available in ORD i.e. active chain control and draw ancillary features. Do we want to transition to a 3D program that struggles with creating 2D plans, knowing we still are required to deliver 2D plan sheets? I have not seen any guidance on when a 3D model will be required and if edits to the cross sections are permissible if they are not reflected on the 3D model.	Only the plan set is the contract deliverable so not everything needs to be modeled. We are reviewing/developing guidance on 3D models for the future. Contact CADD for difficult cross-sections (support ticket/call).
4.	Has there been any discussion on what we are expecting from consultants on their fee estimates for the 11/08/19 selections, when we spec them to use ORD? I don't know how to anticipate labor hours and the learning curve to adjust to ORD. It will be interesting if they try to build in extra hours.	CADD & Mapping has engaged Consultant Services, as decisions are made Dave Holstein or Mat Mauger will communicate.
5.	It seems the implementation schedule is based on Bentley's published Desktop Support Policy (shown below). If I understand correctly, Bentley initially told us that there would be no updates beyond SELECTseries 4. Then at the end of July I became aware that Bentley released V8i SELECTseries 10 applications which are fully supported in Microsoft Windows	SS10 only adds 6 months to Bentley's expiring support timeline. CADD & Mapping is monitoring timelines and will update schedules if/when impacted. This does negate our need for accelerated deployment to ensure we are fully operational when support is terminated.

·		
6.	10 OS. Currently, the enterprise mostly has SELECTseries 4 deployed. There is no doubt we will be going to ORD at some point, but if ORD is not fully capable of fulfilling our needs, is SS10 something we can use until the bugs are worked out and ODOT is ready? Is there merit in waiting for a more "mature" ORD product release? It is unclear how designers (in-house and	This will be addressed in the 3D model
	consultant) will stamp their 3D model with their PE license.	implementation when it's rolled out.
D02		
7.	Requesting an additional 1-day training class.	Any additional training the districts want, please send request with topics directly to CADD & Mapping so we can develop and schedule.
D03		
8.	The software doesn't seem like a finished product. Cell libraries, VBAs, and other items that were used in the past are now not working. The training manuals seem to not be complete and/or constantly changing as well as the continue revisions to the ORD software.	Because this is a new software package CADD & Mapping continues to fix issues and add libraries.
9.	A two-day training for ProjectWise/ORD does not seem adequate to bring staff up to speed for full implementation. MicroStation/GEOPAK training was covered in 2 weeks (i.e. 4 days each week).	The first round of training was meant to be an introductory class to get staff started evaluating the software. Additional training is being developed and will be provided as needed.
10.	Cell placement in an ORD session has caused the software to crash (i.e. bug).	Will be fixed in next update, current work around 'AC = cell name'. Call CADD & Mapping for additional support.
11.	Additionally, the creation of multiple design files within the same ORD session has caused the software to crash (i.e. bug).	CADD & Mapping is aware of this and is actively working to fix. Current work around is to leave it open. Contact CADD & Mapping for additional support.
12.	Best way for training to be successful is to use the software shortly after the training session; however, the software is only available on a limited basis due to an upcoming revision/version release (i.e. training in August and not available for use until January).	On demand videos are available for training refresh and supplemental training items. More videos are currently being developed. Software is available to everyone. Jack Kerstetter is working with IT to have a build made that can be pushed to all machines. In the interim please contact CADD & Mapping.
13.	When will the newest version of ORD be pushed out? We were told ORD would be pushed to all of our computers during the local ORD Training but then were told it was not done because "We are awaiting the newest version"	We have the latest version and are working with IT on the build. Will be pushed out when available, please call CADD & Mapping in the interim.
D04	- no ORD questions	
D05		
16.	The 2-day training course for Open Roads Design did not offer enough time for training on developing templates and/or corridor modeling. We had to skip the section on superelevations and very limited time was	CADD & Mapping will survey each district to evaluate future training needs based on the needs of individual district staff. Additionally, more topics are being added to the training (documented training modules

17.	dedicated to templates and corridor modeling, which, probably needed the most time. Also, the majority of our projects will not include full depth pavement (the ORD example included all new full depth pavement). It would be nice to go through an example that involves widening an existing pavement, using cut lines to separate the mill/fill and full depth pavement. There is a known bug that prohibits the use of a separate ditch profile. Bentley is aware of the bug, however, no time frame is known for when this will be fixed. There are several	and on demand videos). The initial training was not meant to cover all topics, in the interest of time. This is known and will be fixed in next update.
	other bugs that were mentioned in the 2-day training class that still need to be addressed either by Cadd & Mapping or Bentley.	
18.	While going through the class, there were multiple times that Eric Thomas made the following statement "We do not have this developed currently, however, we plan to work on this when we have time". We do not believe that Cadd & Mapping is properly staffed at this time to make the full transition. With all of the bugs and under development mentioned in the training class, the current staff will not have enough time or people to assist the Districts, while continuing to develop and fix bugs in ORD. A lot of the current issues are beyond the expertise of the two people that have added training in the District (subject matter experts).	CADD & Mapping is actively seeking professional support staff and addressing holes in expertise and staffing. They will also lean on other subject matter experts within the Department (whether in CO or Districts) to assist.
D06	- no ORD questions	
D07	& D09 (duplicates)	
19.	The workflow process for creating plan sheets didn't appear complete.	The Department is going to a new approach because of the implementation in which the workflow process is more generic to create sheets. This process is available in the training guide.
20.	The revised CADD manual was not yet complete.	Currently being completed, delivery date of November 30 th .
21.	It is our understanding that pilot projects were not yet complete (a completed example project for us to look at would be helpful).	Pilot projects were for the purpose of testing software and workflows and identifying gaps, these would not be appropriate for sharing as good examples. Sample plans will be released in the near future as examples.
22. D08	Templates and models training was provided for new alignment projects only but that doesn't address 95% of our future ORD projects (culvert replacements, bridge replacements, landslide repairs, turn lane additions, etc.). Our staff did ask questions about these types of projects in the training but no answers were available.	A document will be put together for workflow and best practices for these types of projects. Also will provide sample plan sheets and additional training.
200		

 The coordinate geometry package in ORD is cumbersome and incomplete. For instance, the survey group cannot export points from ORD for R.^W staking. Many of the issues commonly encountered in ORD are known by CO staff but not communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. During the ORD training, it was discussed to have monthly meetings and/or training stof provide additional guidance on items that were not fully developed at the time of training stof as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize kirrostation functions within ORD for plan development. Currently, the CADD standards for these projects is not wallable. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separat- sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup. Current practice is only illustrate the buildup. Or terspical sections will this feature be maintaine? Goes back to the Sample Plan issue. Emplate/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means into one basemap. If you use a template to create ano basemap. If you use a template to create ano poosed section a out meresons into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create an opoosed section advant			
 survey group cannot export points from ORD for R/W staking. Many of the issues commonly encountered in Communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as dicth profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards one ORD is full-implemented. This also pertains to maintenance type projects that will utilize witroper to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections. Illustrate the parement buildup on the Typical Sections. Will utilize the buildup on the Typical Sections. Will utilize the odd to reas sections cut from the model will include the build up regardless of what is shown in the sample plans. The ORD cross-sections in son encessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections are not areals. Manipulation of the model and cross sections are to trated as elements in the design file, which means you cannot trim backlopes/foreslopes. Not only its inefficient but can cause issues when using area by flood for end areas. Each cross section is ints own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections in the asmep file, but in own models. Cannot change line style scale in sheets. If you the near way to put all cross-sections into another is often used. We need a way to put all cross-sections in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flo	23.	The coordinate geometry package in ORD is	New workflows have been created to address
Ior R/W staking. These are discussed at quarterly CADD 24. Many of the issues commonly encountered in ORD are known by CO staff but not communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. These are discussed at quarterly CADD 25. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. Monthly Skype meetings will be held beginning after the Holidays. Additional training opportunities are being developed. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects? We are unclear what standards are missing for these projects? 27. The ORD cross-sections illustrate the pavement sets of sample plans will be necessary. Cross sections cut from the model will include the build up regardless of what is shown in the sample plans. 28. Template/model creation is not necessary doesn't add value) for 95% of our projects. Manipulation of the model and cross sections. This is a function that needs to be learned to get us to models, we can provide additional guidance/ support. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backlopes //oresiopes. N			
 24. Many of the issues commonly encountered in ORD are known by CO staff but not communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. 25. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the ross-sections. Please clarify when these sessions will be established. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also opertains to maintenance type projects that will be headed for these projects? 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the pavement buildup. Current practice is only illustrate the buildup. Our term typical Sections. Will this feature be maintaine? Goes back to the Sample plans is not necessary. (doesn't add value) for 95% of our projects. Therefore, being able to edit cross section section are not treased sections becomes very important. 27. Existing ground cross sections are not treases of all projects. Therefore, being able to edit cross sections is not necessary. (doesn't add value) for 95% of our projects. Therefore, being able to edit cross sections are not treased seloper. 29. Existing ground cross sections are not treases. Therefore, being able to edit cross sections are sections becomes very important. 29. Existing ground cross sections are not treased. Sing of an erroy were any sections, provide additional guidance/ support. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way top ut all cross-sections in ito own beamap. 31. Cannot chappe line style scale in sheets. If you change the drawing scale, all the text changes 32. Cannot chappe line style scale in sh			is available.
ORD are known by CO staff but not communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. Manager meetings. All Districts have a CADD rep who is invited to these meetings. 25. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. Monthly Skype meetings. All Districts have a CADD rep who is invited to these meetings. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans will be necessary. We are unclear what standards are missing for these projects. 27. The ORD cross-sections illustrate the buildup. Current practice is only illustrate the buildup. Current practice is only illustrate the buildup. on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Cross sections cut from the model will include the build up regardless of what is shown in the sample plans. 27. The ORD cross-sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. This is a function that needs to be learned to get us to models, we can provide additional guidance/ support. 29. <th>24</th> <th></th> <th>Those are discussed at guarterly CADD</th>	24		Those are discussed at guarterly CADD
 communicated to the Districts consistently. Having a live list of common issues (similar to an online forum) would be beneficial. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (doesn't add value) for 9% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Ananot trim backslopes / foreid press. Monthly Skype meetings will be necessary on cannot trim backslopes / foreid press. Men using ground cross sections are not treated a elements in the design file, which means you cannot trim backslopes / foreid press. Men using ground cross sections are not treated as elements from one section to another is often used. We need a way to put all cross-sections into one basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes Additional guidance/ support. Canbe privided to learn the tools needed to manipulate the model. Cannot	24.		
 Having a live list of common issues (similar to an online forum) would be beneficial. 25. During the ORD training, it was discussed to provide additional guidance on training to provide additional guidance on thems that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. 28. Template/model creation is not necessary (doesn't add value) for 9% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is int sown design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. If you use a template to create a proposed section advent to manipulate it, you must trace every section by hand. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section adwant to manipulate it, you must trace every se			
 an online forum) would be beneficial. 25. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implemented. ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections sections sections are not treated as elements in the design file, which means you cannot trim backstopes / foresolpes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in ts own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section sign file. You must trace every section by hand. 32. Cannot change line style scale in sheets. If you <li< th=""><th></th><th></th><th>Tep who is invited to these meetings.</th></li<>			Tep who is invited to these meetings.
 25. During the ORD training, it was discussed to have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. 26. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, corying elements from one section to another is often used. We need a way top ut all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate to create a proposed section and want to manipulate. If you use trace every section by hand. 32. Cannot charge Line style scale in sheets. If you change the drawing scale, all the text changes 33. Cannot capy tayle scale in sheets. If you change the drawing scale, all the text changes 34. Cannot capy tayle scale in sheets. If you change the drawing scale, all the text changes 3			
 have monthly meetings and/or training to provide additional guidance on items that were not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize Microstation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Maripulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate the model. Cannot change line style scale in sheets. If you thas migulate the model. Cannot change the drawing scale, all the text changes Cannot change the drawing scale, all the text changes Cannot change the drawing scale,	25	,	Monthly Skype meetings will be held
 provide additional guidance on items that were not fully developed at the time of training such as dittor profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample plans. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, opying elements from one section to another is often used. We need a way top ut all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate to create a proposed section and want to manipulate. Cannot change line style scale in sheets. If you thange the drawing scale, all the text changes Cannot change line style scale in sheets. If you Cannot change line style scale in sheets. If you Cannot change line style scale in sheets. If you Cannot change line style scale in sheets. If you<!--</th--><th>25.</th><th></th><th></th>	25.		
 not fully developed at the time of training such as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (deesn't add value) for 9% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross section s in to cause issues when using area by flood for end areas. Each cross section is in its own design file. When using area by flood for end areas. Each cross section is in its own design file. When using area by flood for end areas. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 as ditch profiles and illustrating utilities in the cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. D10 Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements, from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 cross-sections. Please clarify when these sessions will be established. All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within QRD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
sessions will be established.26.All projects are to utilize new sheet standards once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary.We are unclear what standards are missing for these projects?27.The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the pavement buildup. Current practice is only illustrate the Sample Plan issue.Cross sections cut from the model will include the build up regardless of what is shown in the sample plans.28.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.They are in the same file, but in own models.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.Additional guidance/ support can be provided to learn the tools needed to manjulate the model.31.Cannot copy proposed or existing references<			
 once ORD is full-implemented. This also pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non-ORD projects are needed prior to full-implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. D10 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basempa. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 pertains to maintenance type projects that will utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	26.	All projects are to utilize new sheet standards	We are unclear what standards are missing
 utilize MicroStation functions within ORD for plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Connot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change the drawing scale, all the text changes 		•	for these projects?
plan development. Currently, the CADD standards for these projects are not available. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary.Cross sections cut from the model will include the build up regardless of what is shown in the sample plans.27.The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue.Cross sections cut from the model will include the build up regardless of what is shown in the sample plans.28.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. when producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.31.Cannot copy proposed or existing references into basemap.Additional			
 standards for these projects are not available. Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			Sample plans are being developed.
Updated Sample plans for both ORD and non- ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary.27.The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the pluidup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue.Cross sections cut from the model will include the build up regardless of what is shown in the sample plans.28.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into basemap.Additional guidance/ support can be provided to learn the tools needed to manipulate it, you must trace every section by hand.31.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesAdditional support.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThi			
 ORD projects are needed prior to full- implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. D10 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 implementation. For a time-period separate sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the puildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. D10 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 sets of sample plans will be necessary. 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample plan issue. D10 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 27. The ORD cross-sections illustrate the pavement buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 buildup. Current practice is only illustrate the buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue. D10 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	27		Cross sections cut from the model will
buildup on the Typical Sections. Will this feature be maintaine? Goes back to the Sample Plan issue.shown in the sample plans.D1028.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.	27.		
feature be maintaine? Goes back to the Sample Plan issue.D1028.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			
Plan issue.D1028.Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This is a function that needs to be learned to get us to models, we can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			
 28. Template/model creation is not necessary (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 		· · · ·	
 (doesn't add value) for 95% of our projects. Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	D10		
 Manipulation of the model and cross sections is cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	28.	Template/model creation is not necessary	This is a function that needs to be learned to
cumbersome and time consuming for all projects. Therefore, being able to edit cross sections becomes very important.This works automatically, can't be performed manually. We can provide additional guidance/ support.29.Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.This works automatically, can't be performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			get us to models, we can provide additional
 projects. Therefore, being able to edit cross sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			guidance/ support.
 sections becomes very important. 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 29. Existing ground cross sections are not treated as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
as elements in the design file, which means you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas.performed manually. We can provide additional guidance/ support.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.	20		
 you cannot trim backslopes/foreslopes. Not only is this inefficient but can cause issues when using area by flood for end areas. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	29.		
 only is this inefficient but can cause issues when using area by flood for end areas. 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
when using area by flood for end areas.30.Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap.They are in the same file, but in own models.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			
 30. Each cross section is in its own design file. When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
 When producing many sections, copying elements from one section to another is often used. We need a way to put all cross-sections into one basemap. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	30		They are in the same file, but in own
 elements from one section to another is often used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 	50.		
 used. We need a way to put all cross-sections into one basemap. 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 			
into one basemap.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.31.Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand.Additional guidance/ support can be provided to learn the tools needed to manipulate the model.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			
 31. Cannot copy proposed or existing references into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes 		· ·	
 into basemap. If you use a template to create a proposed section and want to manipulate it, you must trace every section by hand. 32. Cannot change line style scale in sheets. If you change the drawing scale, all the text changes This is a setup issue, please contact CADD & Mapping for additional support. 	31.	Cannot copy proposed or existing references	Additional guidance/ support can be
you must trace every section by hand.32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.		into basemap. If you use a template to create	
32.Cannot change line style scale in sheets. If you change the drawing scale, all the text changesThis is a setup issue, please contact CADD & Mapping for additional support.			manipulate the model.
change the drawing scale, all the text changes Mapping for additional support.			
	32.		
and becomes too large.			Mapping for additional support.
		and becomes too large.	

22	Constation Distance (We	The first of the state of the first state of the state of
33.	Cannot show existing Right of Way on cross	This is fixed, and training/ guidance is
	sections. If the RW basemap is done in 2-d?	available. Please contact CADD & Mapping.
	Geopak Ancillary tool was very helpful for this.	
Micro	ostation functions that do not work properly:	
35.	Turn level off by element function crashes	This is a support issue that we have been
	every time.	unable to duplicate. Please contact CADD &
		Mapping for additional support if issue
		persists.
36.	Measure along element function does not work.	This is a support issue, please contact CADD ଝ Mapping.
37.	Title sheet location map vba does not work.	There currently is not a good solution for
		this. JD is working on solution and will
		communicate. Meanwhile, can perform
		manually. Contact CADD & Mapping for
		assistance.
38.	ODOT Sheet Manager does not support multiple	This is addressed in a training video on the
	sheet file editing.	YouTube Channel. Contact CADD & Mapping
20		if you need the link.
39.	We have concerns about enough internal support once the transition happens. There	See #18
	will be many questions/inquiries and problems	Continue to contact CADD & Mapping for
	all at once.	support issues/ questions, we will
		disseminate support calls as appropriate.
40.	We need to look at plan/plan sheet	The new process is easier and quicker once
-0.	development training. The two-day ORD	learned and it is documented. We are
	training taught some design functions but little	working on creating the on-demand video for
	to no sheet development, editing and	it.
	manipulation. Named boundaries are new to	
	everyone and may or may not be the efficient	
	way to produce sheets.	
41.	The mouse/software interface inside the	CADD & Mapping engages Division of IT
	basemap has a very slow response. New	regularly to spec and test machine power
	machines are needed to keep up with new	and will continue to look for opportunities to
	program.	provide the best specs for CADD machines.
		Once new specs are agreed upon we will
		gauge appropriate decision makers for
		statewide procurement of CADD machines.
42.	Create HEC RAS Data' brings in data incorrectly	This is a support issue, please contact CADD
	into HEC RAS, resulting in time consuming data	& Mapping with more details.
	manipulation.	
D11		1
43.	In training, ORD didn't seem like we could truly	Not everything will be modeled. Culverts can
	create the 3-D model or corridor yet on certain	still be placed, grading still needs checked.
	types of projects. For instance, they didn't	-
	have a way for culverts to be placed into the	
	corridor. I think January is a little ambitious	
	for the cut off to begin projects in ORD.	
44.	One of the reasons for the urgency to move to	See #5
	ORD was that Bentley was not going to provide	
	a Microsoft Windows Version 10 certified copy	
	of our current Microstation/Geopak. But since	
	Bentley has now decided to provide a Microsoft	
	Version 10 certified copy of the current	

	Microstation/Geopak, can't ODOT slow down	
	the move to ORD until the known bugs/issues	
	with ORD get resolved?	
D12		
45.	Are the CADD Training manuals and updated	Training manual is published. Videos are
	ODOT applications complete? Or what is the	being completed. Additional training
	completion timeline for these items?	modules are in process of being developed
		and added (resurfacing, widening, culverts,
		walls, ROW)
46.	ORD was still very buggy during the trainings	CADD & Mapping continuously works with
	this summer. Has this been worked out?	Bentley to address defects. The latest
		update fixed 12 defects. The next update
		will fix 13 defects. CADD & Mapping has
		monthly meetings with Bentley to discuss
		defects and on-going issues.
47.	Also, while YouTube videos are a good	With improved technology and decreased
	reference to have, relying on those for training	resources YouTube videos offer access to
	an entire department on a new way of	training that is on-demand and customer
	managing day-to-day functions does not seem	focused. We will continue to also utilize
	the most prudent. We recommend the	face-to-face training, but the videos provide
	YouTube videos serve as a supplement to a	a self-paced training opportunity not
	formal training roll out.	available in the classroom/lab setting.
48.	How are consultants being trained in the new	In general, Consultants are responsible for
	ORD standards?	knowing/ learning the new software and
		providing their own training opportunities.
		However, we do host quarterly meetings
		with the Consultants where we provide ODOT
		specific training and information. Our
		training guides and videos are also an
		available resource for them.
		מימונמטוב ופטטווכב וטו נוובווו.

ProjectWise (PW)

Distri	ict Question/Concern	Engineering Response/Comments
D01		
1.	Training needed for non-CADD users.	Training is currently in progress. Contact CADD & Mapping if you have not been invited to a training session and need trained.
D02 ·	- no question submitted	
D03		
2.	What is the expectations of ProjectWise implementation? Replacing the idrive?	ProjectWise will replace the idrive, plan index viewer, and the CADD Standards. Expectation is to use ProjectWise to house all project information in a single repository and to deliver the projects to Estimating and Construction.
3.	ProjectWise training has not been provided to non-CADD users (i.e. Planning, Real Estate, and Construction employees) and only recently and brief training for CADD users. Who is expected to perform this training to the non- CADD users and in what format? Office of	CADD & Mapping, videos, on-line training. CADD is creating overviews for everyone now. Construction will not be trained yet, they are phase 2 of the implementation and will be trained based on their needs. The training for PW does not need to be

	CADD and Mapping? District	extensive as it's only a project/document
	Personnel? Formal in-person training? Webinar? YouTube videos?	management tool similar to what you're using your idrive project folders for. After staff have looked at PW please let us know what additional functions they'd like to be trained on. We prioritized the training for ORD users and have now started training for others.
4.	ProjectWise training has not been provided to non-CADD users (i.e. Planning, Real Estate, and Construction employees) and only recently and brief training for CADD users. Who is expected to perform this training to the non- CADD users and in what format? Office of CADD and Mapping? District Personnel? Formal in-person training? Webinar? YouTube videos?	We are developing videos now. We have videos on office integrated apps. There isn't any functionality in ProjectWise that would be discipline specific, only the folder structures are specific to the needs of each discipline. CADD & Mapping has developed this document with a 1 page insert elaborating on what PW and why we're using it. We will also send out the District PW Administrator list.
5.	If the intent is for ProjectWise to replace the idrive, then all District PEC employees will be need to have Bentley accounts set up to access and use the ProjectWise WorkSets.	This is true - if you log in to the CONNECTION Client and click on PW it will automatically put your account in PW. The District Admin will then have to add you to a group. There is a video on how to sign in, more in-depth videos are being developed.
6.	Additionally, all Consultants that perform work for the Districts will need to have Bentley accounts set up to access and use the ProjectWise WorkSets.	We are not currently requiring Consultants to use PW. We have a process set up for project delivery that allows them to deliver without having PW. However, if there is a need to collaborate on a project where they would need work directly in our PW they would need an account to do so.
7.	No security or rights permissions on documents or project design files; meaning anyone can access and change anything in any document. This is a problem for survey basemaps, centerline plats, design drawings, legal descriptions, environmental documents, right of way certifications, legislation, design exceptions, etc.	There are permissions/ securities set up based on user groups. You would need to be in the survey group to modify basemaps, etc.
8.	With these permissions concerns, should there be a list of documents that are backed up on District drives?	There is an audit trail in PW and there is a nightly backup of the cloud with a mechanism for retrieving documents. There will be no backups on district drives. The current policy is deleted items will be retrievable for 2 months.
9.	Current District users of ProjectWise find that the work flows are a bit cumbersome and will affect productivity. User has limited ability to create subfolders and perform similar functions that can be performed in Windows Explorer. Inability to save files and folders as "favorites" results in a lot of time spent	The new file structure has been in place for awhile now, with continued use navigation will become easier. There are also automated search tools/functions. Limited creation of subfolders is by design.

	navigating through the cumbersome directory	
	structure.	
10.	Can't perform a Save As on a file in ProjectWise; have to perform Save As on Desktop and copy into ProjectWise (i.e. bug)	We have not been made aware of such a bug, please contact CADD & Mapping for support issues such as this.
11.	Who will be creating the project WorkSets in ProjectWise? Office of CADD and Mapping? District personnel? Currently, only Jack Kerstetter has ability to create. District Planning personnel should have access to create project WorkSets in ProjectWise.	JD is currently working on an application that will allow the District PW Administrators to do this. As soon as the application is complete JD will provide to the Administrators.
12.	How will current projects utilizing the I:\ProjectData directory structure be migrated into ProjectWise?	All SS4 projects will be finished outside of ProjectWise, only new projects will start in PW. "Old" projects will enter PW through the archive process once project is completed.
D04		
13.	What are the immediate and long term goals of ProjectWise? Ultimately what is the transition period for Project Wise?	There is no transition period for PW. New projects after Jan. 1 st , 2020 that are starting in ORD will be in PW.
		See Question 12.
14.	Is this replacing the i:drive or current folder structure for all ODOT design files, ie reports, documents, emails, etc.?	See Question 2. Microsoft Office applications are integrated with PW.
15.	Does IT support ProjectWise? Who will we call if there is an issue?	We are collaborating with IT to set up the Helpdesk with some troubleshooting capabilities and then elevating to CADD & Mapping for any items they can't resolve. CADD & Mapping has a PW team that is always accessible to help.
16.	Email sent out with Project Wise videos, this needs to be a mandatory training if we are moving everyone to it. Everyone needs access to design files.	We agree that everyone should be trained, and we are advertising training opportunities best we can. We will rely on the District Admins to ensure all staff at the districts that need the training are receiving it.
17.	My understanding is to create a project folder we need to contact central office which takes a lot of time, can districts have the right to create their own folders?	There is a CADD managers group that will decide/ approve when a file structure can be changed. District Admins will also have some capabilities to create folders. There will be some governance that will need to be followed, with some subfolder creation that won't be locked down.
D05		
18.	Aside from having a refresher course in ProjectWise, the only issue is that Jack is the only one capable of setting up new projects in ProjectWise. Currently, the Districts have access to create projects on the I:drive. Hopefully, whatever needs to be developed can be finished so that individuals in the District can create projects in	See Question 11.

	ProjectWise without going through Jack each time.	
D06 -	· no questions submitted	
D00	no questions subinitied	
19.	ProjectWise training was brief (approx. 30 min) but future videos were mentioned.	Staff is currently working on additional training and videos.
20.	No one at the District can create a project folder at this time (Jack Kerstetter has to be contacted).	See Question 11.
21.	It is our supposition that anyone involved in the plan review process will need training and read access to ProjectWise. I.E., County Managers, County Engineers, LPAs, Utility Coordinator, Environmental Coordinator, Pavement Engineer, CPA, Planning Engineer, DCE, Area Engineers, Real Estate Admin and staff, Survey staff, Traffic Engineer, HMA, etc.	We are working on additional training opportunities. Please contact your District PW Administrator for assistance.
22.	Projectwise (PW) installed for most/all PEC staff (includes non-CADD machines). Such as Project managers, LPA manager, Utility Coordinator, Enviro Coord, Planning Engineer, Assessment Engineer, etc.	Please contact your District PW Administrator for assistance.
23.	Training for non-CADD staff that did not get ORD training which included Projectwise. Lawton & I intend to use training slides created by Jack Kerstetter to train D7 (train the trainer?).	See Question 21.
24.	a. Ensure everyone understands how to interact with Projectwise especially for programs that don't have direct compatibility (i.e. save-as to desktop, then upload to PW).	Ok
25.	Look at non-PW programs ODOT uses and find out if there is a similar program that has PW compatibility to minimize the save-as workaround.	Ok
26.	a. Downloading pictures from a camera is not quick.	Define quick?
27.	Enforcement - who is "required" to use Projectwise. Real Estate has their own system. Construction has sharepoint. Enviro has their own system. Etc.	Anyone currently using idrive. We have been working with each Discipline area and they will determine when/how to utilize PW for their needs and will enforce when/where appropriate.
28.	Program still buggywe can work through this unless it is for common/daily tasks.	Contact CADD & Mapping for support.
29.	Printing Issues	? Clarification needed.
D08		
30.	The issue noted by many involving not being able to save directly to the ProjectWise directory is seen as very problematic. Significant work could be lost if a designer is working on project saved to the local hard drive.	Need clarification, what are you not able to save directly into ProjectWise?

24		
31.	Please clarify the intent and timeframe in which the current I: drive structure will be	The PW team is currently working with each district to archive projects.
	eliminated, and full-implementation of the	
	ProjectWise structure will be the norm. Will	The idrives will be abandoned as districts
	the current I: drive be abandoned? How will	are completing all their projects in SS4. The
	existing projects be archive?	status of the drives will be re-evaluated
		annually until all projects are delivered.
		No projects in ORD will be stored on the
		idrive.
32.	Please provide the status and timeframe for	Folder structure has already been
	Districts to create ProjectWise folder	established. If there are additional needs
	structures.	please contact district cadd manager to
33.	The Plan Vault function in ProjectWise does	discuss. We have broken down the cleaning up and
55.	not extend prior to 2001. Plans prior to this	loading of the data so that newer data could
	time are a considerable asset. Please clarify	get loaded into the system quickly. We are
	how the older projects are to be archived.	still working on older data.
34.	Once ProjectWise is in full capacity, will C.O.	CO is scripting the archive process when a
	staff or District staff update the Plan Vault?	project is finalized.
35.	Clarify when non-CADD users will have	Anyone who wants PW can have it now,
	ProjectWise. All CPA staff should have this	please contact your District PW
	function.	Administrator for assistance.
36.	Clarify the where non-CADD files are to be	Please see folder structure and contact
	placed within the ProjectWise directory	district cadd manager if you still have
37.	structure. When a file is checked out in ProjectWise, it's	questions. The cloud is backed up nightly.
57.	saved to the local drive. Is a copy backed up	The cloud is backed up highlity.
	automatically in the cloud? If not, work could	
	be easily lost.	
38.	Can and how are District staff to add	There are folders under the Admin folder.
	directories to the ProjectWise structure?	See the attached folder structure.
	These would be for non-CADD items such as	
20	reports, emails etc.	This is successful starting in DGE may be
39.	Are all departments going to be using this	This is currently starting in P&E, may be
	project folder structure or is it just starting in P&E?	expanded at a later date.
40.	All CPA employees who touch projects should	We are currently providing training for
	be trained, at least in ProjectWise and on	everyone. If someone has not received
	basic folder structure. Is there an	training information, please contact CADD &
	implementation plan for training everyone?	Mapping to be added. Also, everyone has
		access to the manuals and videos that have
44	When people see "CADD Training "	already been developed.
41.	When people see "CADD Training," many do not believe it applies to them	We are leaning on the engineering staff and District PW Administrators to help identify
	(Planning, LPA project managers,	staff that need to be notified and how to
	Construction, consultant managers, etc.)	best reach them in the Districts.
	because they don't use MicroStation. We need	best reach them in the Districts.
	to make EVERYONE aware of the changes that	
	are coming to our electronic filing system.	
42.	Who is typically expected to manage creation	District PW Administrators will create the
	of projects at District P&E? When should the	projects. Projects should be created as soon
	project be created (during scoping, survey,	as feasible (when would you set them up on
	initial design, etc.)?	the idrive?)

42	Who is going to manage access (normissions to	District DW/ Admin will manage access and
43.	Who is going to manage access/permissions to projects and what permissions are supposed to	District PW Admin will manage access and permissions. Your permissions will be set
	be given out to people?	based on your job functions, such as survey,
	be given out to people:	design, etc.
44.	How are non-pid projects going to be handled	District PW Admin can create. See folder
	(e.g. traffic and safety studies)? What will be	structure.
	the access/permissions for non-pid projects.	
	Can non-pid projects be reassigned once a pid	
	is determined?	
45.	How are we going to ensure consistency in	Not sure what is being asked. The higher
	folder documentation for project	level folder structure is enforced in PW.
	management?	
46.	Is it expected that consultants will use the	We have not yet identified what we might
	Bentley Connection Center to submit	want to use the CONNECTION Center for.
	transmittals?	More on that to come.
47.	Is it expected that we'll be using connected	Consultants can continue to send zipped
	projects with consultants or are consultants	files. We are still investigating CONNECTED
	still just submitting CADD files prior to plan	Projects options, functionality, and licensing
40	filing?	requirements.
48.	Consultant access to ProjectWise is a concern.	No concern, it's not a requirement for
		Consultants to use. They only have to follow the standard folder structure so that we can
		consume the project into our PW
		environment once delivered.
49.	It is unclear the workflow and what is	Construction is phase 2 & 3 of the
49.	expected from Construction for ProjectWise.	Implementation and has already been
	Their transition will be longer than design	engaged.
	because the legacy projects will continue to	
	be sold long after design has completely made	
	the transition.	
D09		
50.	ProjectWise training was brief (approx. 30	See Question 19.
	min) but future videos were mentioned.	
51.	No one at the District can create a project	See Question 11.
	folder at this time (Jack Kerstetter has to be	
	contacted).	
52.	It is our supposition that anyone involved in	See Question 21.
	the plan review process will need training and	
	read access to ProjectWise	
	LE County Managora County Engineers	
	I.E., County Managers, County Engineers, LPAs, Utility Coordinator, Environmental	
	Coordinator, Pavement Engineer, CPA,	
	Planning Engineer, DCE, Area Engineers, Real	
	Estate Admin and staff, Survey staff, Traffic	
	Engineer, HMA, etc.	
D10		1
53.	Projects are listed by PID with no	Description is in the project properties
55.	supplemental description next to it for project	which is taken from Ellis. The descriptions
	identification.	are searchable.
54.	o Will become very cumbersome to	Recommended to use search option.
	find a project. Using search is okay if you	Addressed in training.
	know exactly what the project was named,	, č
	otherwise, you must hunt and peck each PID.	

55	o WE WANT A SUPPLEMENTAL	The District representatives came to a
55.		The District representatives came to a
	DESCRIPTION (CRS) NEXT TO THE PID.	consensus on this topic. It is the implemented standard. See Question 54.
F/	Draiget Wise is not integrated with many of	True there will be some
56.	Project Wise is not integrated with many of	
	our stand alone design software's.	procedures/processing outside of PW and
		data will be moved into PW once processing
F7	All files used at familian a laws	is completed.
57.	o All files needed for stand alone	The answer to this question is simply no. This is a workflow that will become easier as
	software need to be exported and re-imported	
	to Project Wise once completed. Would be	it is used. If it's currently stored on the
FO	much more efficient to house files locally.	idrive it will be now be stored in PW.
58.	When closing a design file, the prompt to	The function is working as intended, though
	"free" a file comes up. This selection will delete all work done since last check-in. We	we agree it's a bad naming convention and
		can be misleading. This is addressed in
	would like to see a secondary prompt to ensure you made the correct selection.	training. We don't have the ability to change the word "free" to something more
	ensure you made the correct selection.	discernable.
D11		discernable.
59.	In Project Wise, is there a way if someone has	There is no way to check it back in if the
J7.	a file checked out and say goes on vacation	machine isn't on the network. But there is a
	that we could force the file to be checked	way for Administrators to free a file. There
	back in. I notice in training, I checked out	could be an issue when the person comes
	multiple files and didn't realize I didn't check	back on-line - we're not sure yet how to fix
	them back in. Right now at least if someone is	the discrepencies then between what work
	in any file IT can force the file to close if	was done on the file while checked out and
	needed on someone else's computer.	what was completed by someone else once
	·····	it was freed. We recommend staff get in the
		habit of checking files back in routinely. We
		can also find the machine the file is checked
		out on and retrieve the file from the
		machine. (Local Document Organizer tells
		where the files are at.)
60.	How does Project Wise help us file and	ProjectWise is an established cloud services,
	maintain projects easier? Since not all project	documents are not stored on the State
	data will be maintained in Project Wise what	servers. PW is a centralized repository of all
	are the benefits to it? Also should we be	project data. Most pertinent project data
	storing our files in the Cloud somewhere out of	will be maintained in ProjectWise, will need
	the State of Ohio?	clarification on what project data is in
		question here, what data would not be
		stored with a project? everything that is
		stored on the idrive now - in future can
		evaluate other project information - on case
		by case basis.
	no guestions submitted	

FOLDER STRUCTURE

District		Project			Discipline Sub /	Discipline	Create	
	County	ID	Discipline	Discipline Sub	Files	Sub / Files2	Sub	Folder Description
District 06	\							(District)
District 06	\Franklin	١						(County Identification - When multiple counties use Ellis designation)
District 06	\Franklin	\123456						(Project Identification Number - PID)
District 06	\Franklin	\123456	\000-Admin	\				
District 06	\Franklin	\123456	\000-Admin	\COE			Y	(Cost of Engineering information)
District 06	\Franklin	\123456	\000-Admin	\Contracts	\			(Consultant Contract Information)
District 06	\Franklin	\123456	\000-Admin	\Contracts	\TaskOrder		Y	(Consultant Task Order Information)
District 06	\Franklin	\123456	\000-Admin	\Correspondence	\			
District 06	\Franklin	\123456	\000-Admin	\Correspondence	\Email		Y	(Any Project related Emails)
District 06	\Franklin	\123456	\000-Admin	\Correspondence	/IOC			
District 06	\Franklin	\123456	\000-Admin	\Correspondence	\IOC	\Design	Y	(Project IOCs from Design)
District 06	\Franklin	\123456	\000-Admin	\Correspondence	\IOC	\Planning	Y	(Project IOCs from Planning)
District 06	\Franklin	\123456	\000-Admin	\Correspondence	\Letters		Y	(Any Project related Letters)
District 06	\Franklin	\123456	\000-Admin	\Estimates			Y	(All Estimates from Planning & Design)
District 06	\Franklin	\123456	\000-Admin	\MeetingMinutes			Y	(Meeting Minutes from Project related meetings)
District 06	\Franklin	\123456	\000-Admin	\OUPSInfo			Y	(OUPS documents)
District 06	\Franklin	\123456	\000-Admin	\Photo	\			
District 06	\Franklin	\123456	\000-Admin	\Photo	\Construction		Y	(Photos from Construction)
District 06	\Franklin	\123456	\000-Admin	\Photo	\Design		Y	(Photos from Design)
District 06	\Franklin	\123456	\000-Admin	\Photo	\Environmental		Y	(Photos from Environmental)
District 06	\Franklin	\123456	\000-Admin	\Photo	\Geotechnical		Y	(Photos from Geotech)
District 06	\Franklin	\123456	\000-Admin	\Photo	\Planning		Y	(Photos from Planning)
District 06	\Franklin	\123456	\000-Admin	\PIO				(Information from PIO related to the Project)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\			
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Final	\		
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Final	\Comments	Y	(Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Final	\Submission	Y	(Submission)

	\	1 1 2 2 1 - 2						
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Final			
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Final	\Comments	Y	(Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Final	\Submission	Y	(Submission)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Preliminary	\		
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Preliminary	\Comments	Y	(Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\RW-Preliminary	\Submission	Y	(Submission)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage1	\		
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage1	\Comments	Y	(Stage 1 Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage1	\Submission	Y	(Stage 1 Submission)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage2	\		
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage2	\Comments	Y	(Stage 2 Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage2	\Submission	Y	(Stage 2 Submission)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage3	\		
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage3	\Comments	Y	(Stage 3 Comments)
District 06	\Franklin	\123456	\000-Admin	\PlanReviews	\Stage3	\Submission	Y	(Stage 3 Submission)
District 06	\Franklin	\123456	\000-Admin	\Railroad	\			(Railroad Information)
District 06	\Franklin	\123456	\000-Admin	\Railroad	\Invoices		Y	(Railroad Invoices)
								(Any Reports related to the Project
District 06	\Franklin	\123456	\000-Admin	\Reports			Y	ie. Boring Logs, Traffic Counts, etc.)
District 06	\Franklin	\123456	\100-Planning	١				(Any planning documentation)
District 06	\Franklin	\123456	\100-Planning	\Legislation			Y	(Project Legislation)
								(Miscellaneous planning
District 06	\Franklin	\123456	\100-Planning	\Misc			Y	information)
District 06	\Franklin	\123456	\100-Planning	\Scopes			Y	(Scope documentation)
District 06	\Franklin	\123456	\100-Planning	\STIP			Y	(STIP Information)
								(Environmental documents needed
District 06	\Franklin	\123456	\200-Environmental	\				by design or construction)
District 06	\Franklin	\123456	\200-Environmental	\4F			Y	(Section 4(f) documentation)
District 06	\Franklin	\123456	\200-Environmental	\6F			Y	(Section 6(f) documentation)
								(Section 106 (cultural resources)
District 06	\Franklin	\123456	\200-Environmental	\106			Y	documentation)
District 06	\Franklin	\123456	\200-Environmental	\Alternatives			Y	(Project alternatives documentaion)
District 06	\Franklin	\123456	\200-Environmental	\CE			Y	(Categorical exclusion documents)
District 06	\Franklin	\123456	\200-Environmental	\Eco			Y	(Ecological resouces documentation)
								(Environmental commitments
District 06	\Franklin	\123456	\200-Environmental	\Environmental Co	mmitments		Y	documentation)
								(Project location mapping
District 06	\Franklin	\123456	\200-Environmental	\Mapping			Y	documentation)

District 06	\Franklin	\123456	\200-Environmental	\MeetingMinutes			Y	(Meeting minutes documentation)
District 06	\Franklin	\123456	\200-Environmental	\Misc			Y	(Miscellanious documentation)
District 06	\Franklin	\123456	\200-Environmental	\Permits			Y	(Waterway permit documentation)
District 06	\Franklin	\123456	\200-Environmental	\PI			Y	(Public Involvement documentation)
District 06	\Franklin	\123456	\200-Environmental	\PurposeNeed			Y	(Purpose and need supporting documentation)
District 06	\Franklin	\123456	\200-Environmental	\RMR			Y	(Regulated materials review documention)
District 06	\Franklin	\123456	\200-Environmental	\UP			Y	(Underserved Populations documentation)
District 06	\Franklin	\123456	\300-Survey	\				
District 06	\Franklin	\123456	\300-Survey	\Basemaps				(Survey Basemaps)
District 06	\Franklin	\123456	\300-Survey	\SurveyData				
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\ExistingInformation			
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\ExistingInformation	\Deeds	Y	(Survey deeds)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\ExistingInformation	\RWPlans	Y	(Survey RW plans)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\ExistingInformation	\SurveyPlats	Y	(Survey plats)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\ExistingInformation	\TaxMaps	Y	(Survey tax maps)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\FieldData			
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\FieldData	\RawData	Y	(Survey raw data)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\FieldData	\Reports	Y	(Survey reports)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\Images			
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\Images	\Aerial	Y	(Aerial Images)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\Images	\Field	Y	(Field Images)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\Notes and Sketches		Y	(Survey Notes and Sketches)
District 06	\Franklin	\123456	\300-Survey	\SurveyData	\OfficeData		Y	
District 06	\Franklin	\123456	\400-Engineering	\				
District 06	\Franklin	\123456	\400-Engineering	\Drainage				
District 06	\Franklin	\123456	\400-Engineering	\Drainage	\Basemaps			(Drainage Basemaps)
District 06	\Franklin	\123456	\400-Engineering	\Drainage	\EngData		Y	(Drainage Design documents, spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Drainage	\Sheets			(Drainage CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Geotechnical				
District 06	\Franklin	\123456	\400-Engineering	\Geotechnical	\Basemaps			(Geotechnical Basemaps)
District 06	\Franklin	\123456	\400-Engineering	\Geotechnical	\EngData		Y	(Geotechnical Design documents, spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Geotechnical	\Sheets			(Geotechnical CADD Plan Sheet Files)

District 06	\Franklin	\123456	\400-Engineering	\Landscape				
District 06	\Franklin	\123456	\400-Engineering	\Landscape	\Basemaps			(Landscape Basemaps)
					· · ·			(Landscape Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Landscape	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Landscape	\Sheets			(Landscape CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Lighting	N.			
District 06	\Franklin	\123456	\400-Engineering	\Lighting	\Basemaps			(Lighting Basemaps)
								(Lighting Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Lighting	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Lighting	\Sheets			(Lighting CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\MOT	\			
District 06	\Franklin	\123456	\400-Engineering	\MOT	\Basemaps			(MOT Basemaps)
								(MOT Design documents,
District 06	\Franklin	\123456	\400-Engineering	\MOT	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\MOT	\Sheets			(MOT CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Roadway	١			
District 06	\Franklin	\123456	\400-Engineering	\Roadway	\Basemaps			(Roadway Basemaps)
								(Roadway Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Roadway	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Roadway	\Sheets			(Roadway CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\RW	\			
District 06	\Franklin	\123456	\400-Engineering	\RW	\Basemaps			(RW Basemaps)
								(RW Design documents,
District 06	\Franklin	\123456	\400-Engineering	\RW	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\RW	\Sheets			(RW CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Signals	\			
District 06	\Franklin	\123456	\400-Engineering	\Signals	\Basemaps			(Signals Basemaps)
								(Signals Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Signals	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Signals	\Sheets			(Signals CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Structures	١			
District 06	\Franklin	\123456	\400-Engineering	\Structures	\SFN	١		
District 06	\Franklin	\123456	\400-Engineering	\Structures	\SFN	\Basemaps		(Structure Basemap)
District OC) Encolution	1422456) Ex «Data	V	(Structure Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Structures	\SFN	\EngData	Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Structures	\SFN	\Sheets		(Structure CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Structures	\CFN) 5		
District 06	\Franklin	\123456	\400-Engineering	\Structures	\CFN	\Basemaps		(Culvert Basemap)

								/
District OC	\ English Little	1422450				\ Exampleta	V	(Culvert Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Structures		\EngData	Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Structures	\CFN	\Sheets		(Culvert CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Structures	\Wall			
District 06	\Franklin	\123456	\400-Engineering	\Structures	\Wall	\Basemaps		(Wall Basemap)
								(Wall Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Structures	\Wall	\EngData	Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Structures	\Wall	\Sheets		(Wall CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Traffic	\			
District 06	\Franklin	\123456	\400-Engineering	\Traffic	\Basemaps			(Traffic Basemaps)
								(Traffic Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Traffic	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Traffic	\Sheets			(Traffic CADD Plan Sheet Files)
District 06	\Franklin	\123456	\400-Engineering	\Utilities	\			
District 06	\Franklin	\123456	\400-Engineering	\Utilities	\Basemaps			(Utilities Basemaps)
								(Utilities Design documents,
District 06	\Franklin	\123456	\400-Engineering	\Utilities	\EngData		Y	spreadsheets or application data)
District 06	\Franklin	\123456	\400-Engineering	\Utilities	\Sheets			(Utilities CADD Plan Sheet Files)
District 06	\Franklin	\123456	\500-RealEstate	\				
				\Contract				(Copy of Acquisition information
District 06	\Franklin	\123456	\500-RealEstate	Administration			Y	once Project has been Closed)
District 06	\Franklin	\123456	\500-RealEstate	\General			Y	(IOCs Related to Right of Way)
District 06	\Franklin	\123456	\500-RealEstate	\General	\Plans		Y	
District 06	\Franklin	\123456	\500-RealEstate	\Parcels			Y	(Legal Descriptions)
District 06	\Franklin	\123456	\500-RealEstate	\Utilities			Y	(All Utility Documentation)
District 06	\Franklin	\123456	\600-Contracts	\				
								(Plan Package Documentation - All
District 06	\Franklin	\123456	\600-Contracts	\01-Plan Submittal			Y	Stages)
District 06	\Franklin	\123456	\600-Contracts	\02-PreAddendum			Y	(Pre-addendum submissions)
District 06	\Franklin	\123456	\600-Contracts	\03-Addendum			Y	(Addendum submissions)
District 06	\Franklin	\123456	\600-Contracts	\04-Reference Files			Y	(Plan files for reference only)
District 06	\Franklin	\123456	\700-Estimating				Y	(Central Office Estimating only)
District 06	\FRA	\123456	\800-Construction	\				
District 06	\FRA	\ 123456	\800-Construction	\Change Orders			Y	
				\Contract				
District 06	\FRA	\123456	\800-Construction	Documents			Y	
District 06	\FRA	\123456	\800-Construction	\Correspondence			Y	
				\Daily Work				
District 06	\FRA	\123456	\800-Construction	Reports			Y	

District 06	\FRA	\123456	\800-Construction	\Documents to be Reviewed	Y	
District 06	\FRA	\123456	\800-Construction	\EEO & DBE	Y	
District 06	\FRA	\123456	\800-Construction	\Estimates	Y	
District 06	\FRA	\123456	\800-Construction	\Finalization	Y	
District 06	\FRA	\123456	\800-Construction	\Issues & Claims	Y	
District 06	\FRA	\123456	\800-Construction	\Line Items	Y	
District 06	\FRA	\123456	\800-Construction	\Materials	Y	
District 06	\FRA	\123456	\800-Construction	\Media	Y	
District 06	\FRA	\123456	\800-Construction	\Meetings	Y	
District 06	\FRA	\123456	\800-Construction	\Miscellaneous	Y	
District 06	\FRA	\123456	\900-Accounting		Y	(Central Office Accounting only)
District 06	\FRA	\123456	\990-WorkSetStandards	l l		
District 06	\FRA	\123456	\990-WorkSetStandards	\GCS		(Coordinate system file)
						(Project pset file, other project
District 06	\FRA	\123456	\990-WorkSetStandards	\Plotdrv		specific plotting files)
District 06	\FRA	\123456	\990-WorkSetStandards	\Seed		(Project seed files)
District 06	\FRA	\123456	\990-WorkSetStandards	\Template Library		(Project design templates)
District 06	\FRA	\123456	\999-Scratch		Y	All project users modify access

