



**LEGEND**

- ① ITEM 441 - 1 1/4" Asphalt Concrete Surface Course, Type 1, (448) PG64-22
- ② ITEM 441 - 1 3/4" Asphalt Concrete Intermediate Course, Type 2, (448)
- ③ ITEM 254 - Pavement Planing, Asphalt Concrete (See Note "A")
- ④ ITEM 441 - 0" Min. Asphalt Concrete Intermediate Course, Type 1, (448) (See Note "C")
- ⑤ ITEM 301 - 5" Asphalt Concrete Base, PG64-22
- ⑥ ITEM 301 - 6" Asphalt Concrete Base, PG64-22
- ⑦ ITEM 304 - 6" Aggregate Base
- ⑧ ITEM 407 - Tack Coat
- ⑨ Not Used
- ⑩ ITEM 605 - 6" Shallow Pipe Underdrains
- ⑪ ITEM 608 - 4" Concrete Walk
- ⑫ ITEM 609 - Combination Curb and Gutter, Type 2
- ⑬ ITEM 659 - Seeding and Mulching
- ⑭ ITEM 660 - Sodding Unstaked
- ⑮ ITEM 204 - Subgrade Compaction
- ⑯ ITEM 606 - Guardrail, MGS

- (A) 5"± Asphalt Concrete
- (B) 5"± Waterbound Macadam
- (C) 4"± Asphalt Concrete
- (D) 6"± Dense Asphalt Macadam Base



**NOTE "A"**

Pavement planing shall be a constant depth of 1" at the  $\mathcal{C}$  of Construction with a uniform cross slope of 0.016 established. Maximum depth of planing at the outside edges of existing pavement has been calculated to be 2 1/2".

**NOTE "B"**


For estimating purposes, Item 202 - Pavement Removed calculation included in the plan indicates an average width of 1 ft. of existing pavement being replaced.

**NOTE "C"**

Item 441, Asphalt Concrete Intermediate Course, Type 1 (448), is to be used as a leveling course to establish a 0.016 cross slope. Estimated quantities have been calculated based on exaggerated cross-sections shown on sheets 51-58.

**NOTE "D"**

Item 441, Asphalt Concrete Surface Course, Type 1, (448) PG64-22, is to be 1/4" above gutter plate.



**GUARDRAIL DETAIL - S.R. 106**

SECTION APPLIES :  
Sta. 635+50 to Sta. 637+75 Rt.

**A** Unless otherwise shown on the cross sections